

# **MERRITT FLEX**

The Merritt Flex is a premium operator chair system designed for comfort, durability, and versatility. Featuring fully customizable control layouts and soft cushioned armrests, it delivers reliable performance and ease of use. Built for compact cabs and tight workspaces, the Flex enhances operator efficiency across a wide range of applications.



# **SPECIFICATIONS**

#### **GENERAL DATA**

| Unique Features       | Built-in USB socket for convenient mobile device charging  |
|-----------------------|--|
| Console Width         | 8" with side module extension for additional devices.  |
| Max Number of Devices | Device capacity depends on console plate configuration. Contact J.R. Merritt for specifications and options.   |
| Seat Options          | Model - Merritt Edge Seating Options - Full cushion or u-cut cushion -Motorized or Manual Adjustment -Option for heated or cooled seat -2-, 3-,4- point harness  |
| Suspension Options    | Mechanical Suspensions - 4 Step w/ Lift Assist (weight up to 309 lbs) - Heavy Duty (weight up to 400 lbs)  Pneumatic (Air) Suspensions - Standard (weight up to 330 lbs) - Wide (weight up to 375 lbs) - Heavy Duty (weight up to 485 lbs) |
| Armrest Type          | Adjustable consoles with up and down tilt, side to side, forward and backward slide, upward and downward angle adjustment  |
| Footrest Option       | Contact J.R. Merritt Controls for specifications and options.  |

### **ADJUSTMENT FEATURES**

| System Rotation                        | Optional, up to 270 degrees |
|--|-----------------------------|
| System Height                          |                             |
| System Tilt                            |                             |
| Consoles Slide<br>Forward/Backward     | ✓ ·                         |
| Consoles Tilt                          |                             |
| Consoles - Slew In/Out                 | ✓                           |
| Armrests - Height                      | ✓                           |
| Armrests - Tilt                        | *                           |
| Armrests - Slide Forward<br>/ Backward |                             |
| Seat - Slide Forward /<br>Backward     |                             |
| Seat - Recline                         | ✓                           |
| Seat - Lumbar                          | ✓                           |

### **TECHNICAL DATA**

| Rotation Optional            | 270 degrees max with pin lock or friction brake operation  Pin Lock 4 locking positions (every 90 degrees). Positions can be customized to your specifications.  Friction Brake System holds throughout +/- 135 degrees of travel. |
|------------------------------|--|
| Scissor Adjust Range         | Height: adjustable to 3.2" [80 mm] Tilt: adjustable to 14 degrees  |
| Armrest Adjust Range         | Armrests attached to consoles. See console adjustability.  |
| Console Adjust Range         | 90-degree swivel in and out 90-degree flip-up 5-degree console tilt up 30-degree tilt forward 1.5 in. [40mm] slide forward and back  |
| Backrest Recline             | Merritt Edge seat 25 degrees backwards and forward   |
| Seat Cushion Adjust<br>Range | Merritt Edge seat Tilt: -5 to 15 degrees Height Adjustment: up to 6 in [150mm]   |
| Headrest Adjust Range        | Non-adjustable   |
| Additional Specifications    | Reference product literature for additional specifications and options   |

# **Technical Drawings**